

cbs.centos.org

Community Build Service

FROM SOURCES TO RPMS

On behalf of CentOS infra team and all contributors.

Presented by Thomas 'alphacc' Oulevey / @thomasnomas

and Brian Stinson /



- I am 'alphacc' on freenode
- Worked for ESO, ISO, CERN
- Service Manager at CERN (www.cern.ch) since 2011

Past: Openstack storage evaluation (gluster, ceph, netapp), Scientific Linux CERN.

Current: IT Koji service, More SLC, CERN CentOS 7 migration, puppetization...

(As people asked : <https://jobs.web.cern.ch/>)

AGENDA

- Introduction,
- Koji,
- Repositories & mash,
- Signing,
- Centpkg.



Started in July 2014.

2 main use cases:

- Build Special Interest Group(SIG) RPMs:

Short term : Build from src.rpm


Long term : Build from git.centos.org

- Distribute RPMs:

Short term : yum repos for dev/testers consumption

Long term : automatic workflow for SIGs RPMs distribution.


An agile user



git : <https://git.centos.org> (giblit <http://gitblit.com/>)

koji : <https://fedorahosted.org/koji/> (fedora/epel)

mash : <https://git.fedorahosted.org/cgit/mash/>



Components :

- kojihub:
XML-RPC server running under mod_wsgi
Broker that abstract postgresql and filesystem.
- kojid: polls build requests and handles them in a fresh buildroot thanks to mock.
- kojira: keeps your repos updated.
- clients: cli & kojiweb for user/admin tasks.

All components/client communicate with certs (our "self-signed" CA).



Wed, 28 Jan 2015 17:10:39 UTC | [login](#)

Packages

SEARCH

[Summary](#)

[Packages](#)

[Builds](#)

[Tasks](#)

[Tags](#)

[Build Targets](#)

[Users](#)

[Hosts](#)

[Reports](#)

[Search](#)

Build Targets

Targets 1 through 26 of 26

ID	Name ▲
20	atomic7-el7.centos
13	bananas5-el5
14	bananas5-el5_10
15	bananas5-el5.centos
10	bananas6-el6
11	bananas6-el6_5
12	bananas6-el6.centos
7	bananas7-el7
8	bananas7-el7_0
9	bananas7-el7.centos
2	buildsys5
1	buildsys6
3	buildsys7
21	cloud5-el5
22	cloud6-el6
23	cloud7-el7
25	infrastructure6-el6
24	infrastructure7-el7
27	scl6-el6-mariadb100

Summary Packages Builds Tasks Tags Build Targets Users **Hosts** Reports Search

Hosts

State:

Hosts 1 through 3 of 3

ID	Name ▲	Arches	Enabled?	Ready?	Last Update
1	x86_64-0.centos.org	x86_64 i386	✓	✓	2015-01-31 11:02:49
2	x86_64-1.cbs.centos.org	x86_64 i386	✓	✓	2015-01-31 11:02:46
3	x86_64-2.cbs.centos.org	x86_64 i386	✓	✓	2015-01-31 11:02:54

Hosts 1 through 3 of 3

Summary Packages **Builds** Tasks Tags Build Targets Users Hosts Reports Search

Builds

State: Built by:

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | a | b | c | d | e | f | g | h | i | j | k | l | m | n | o | p | q | r | s | t | u | v | w | x | y | z | all

Builds 1 through 50 of 653 >>>

Page:

ID ▼	NVR	Built by	Finished	State
653	openstack-glance-2014.2.1-3.el7	hguemar	2015-01-29 18:25:59	✓
652	python-urllib3-1.10-2.el7	hguemar	2015-01-28 22:39:53	✓
651	docker-registry-0.9.1-1.el7	lsm5	2015-01-28 03:10:56	✓
650	openstack-ironic-discoverd-0.2.5-1.el7	hguemar	2015-01-28 00:47:42	✓
649	openstack-tripleo-image-elements-0.8.10-19.el7	hguemar	2015-01-28 00:44:24	✓

```
$ koji add-pkg <tag> <NAME>  
$ koji build <target> <NAME-RELEASE-VERSION>.src.rpm  
OR  
$ koji build <target> "git+https://url.git?#COMMIT"  
$ koji tag-build <tag> "mybuild"
```

tag: cloud7-testing, cloud7-release.

external repos: centos7-os, centos7-updates

build tag: cloud7-el7-build

target: cloud7-el7 ; a buildroot and a destination tag.

package: An RPM name e.g: gcc

build: A build in Koji e.g: gcc-4.4-1.el6

to tag/untag : associate or not a package to a specific tag and therefore ultimately to a mash repository.

build tags : <SIG><MAJOR>-<TAG>[-
<COLLECTION>,-]build

e.g: cloud6-el6-build, scl6-el6-mariadb100-build

targets : <SIG><MAJOR>-<TAG>[-
<COLLECTION>,-]

e.g: cloud6-el6


destination tags:

<SIG><MAJOR>-{testing,release}

<SIG><MAJOR>-<PROJECT>-{testing,release}

e.g: cloud6-release, cloud7-rdo-release

```
$ koji add-pkg cloud7-testing openstack-glance
$ koji add-pkg cloud7-release openstack-glance
$ koji build cloud7-el7 "git+https://git.centos.org/rpms?#COMMIT"
$ koji tag-build cloud7-release openstack-glance-2014.2.1-3.el7
```



Information for tag **cloud7-el7-build**

Name	cloud7-el7-build
ID	51
Arches	x86_64
Locked	no
Permission	none
Inheritance	cloud7-el7-build <ul style="list-style-type: none">buildsys7cloud7-testing
External repos	centos7-os centos7-updates
Repo created	Thu, 29 Jan 2015 18:26:14 UTC
Packages	294
Builds	311
Targets building from this tag	cloud7-el7
Targets building to this tag	No build targets

Information for build `openstack-glance-2014.2.1-3.el7`

ID 653

Package Name `openstack-glance`

Version 2014.2.1

Release 3.el7

Epoch

Summary OpenStack Image Service

Description OpenStack Image Service (code-named Glance) provides discovery, registration, and delivery services for virtual disk images. The Image Service API server provides a standard REST interface for querying information about virtual disk images stored in a variety of back-end stores, including OpenStack Object Storage. Clients can register new virtual disk images with the Image Service, query for information on publicly available disk images, and use the Image Service's client library for streaming virtual disk images. This package contains the API and registry servers.

Built by `hguemar`

State `complete`

Started Thu, 29 Jan 2015 18:22:39 UTC

Completed Thu, 29 Jan 2015 18:25:59 UTC

Task `build (cloud7-el7, openstack-glance-2014.2.1-3.el7.src.rpm)`

Tags `cloud7-testing`

RPMs `src`

`openstack-glance-2014.2.1-3.el7.src.rpm` ([info](#)) ([download](#))

`noarch` ([build logs](#))

`openstack-glance-2014.2.1-3.el7.noarch.rpm` ([info](#)) ([download](#))

`openstack-glance-doc-2014.2.1-3.el7.noarch.rpm` ([info](#)) ([download](#))

`python-glance-2014.2.1-3.el7.noarch.rpm` ([info](#)) ([download](#))

Changelog * Thu Jan 29 2015 Haikel Guémar <hguemar@fedoraproject.org> - 2014.2.1-3
- Usage storage quota bypass - CVE-2014-9623 (RHBZ #1187003)

* Tue Jan 13 2015 Haikel Guémar <hguemar@fedoraproject.org> - 2014.2.1-2
- Unrestricted path flow traversal (RHBZ #1174474)

```
$ ./create_sig.sh  
usage: ./create_sig.sh -d <distribution> -s <signame(s)> -t <tag(s)>
```

This script generate new build target in koji for SIGS.

OPTIONS:

- d Distribution : 5 6 7
- s SIG name : cloud, storage
- t DISTTAGS : "el7 el7.centos el7_0"
- c COLLECTION : mariadb100 (a single collection can be used at this time)

Workflow:

1. user commit to git.centos.org
2. user submit a git url to build system
3. koji builder receive a new job
4. koji builder execute “git clone”
5. run a specific command (get_sources detects the branch and execute get_sources.sh with correct arguments.) to grab binary files from lookaside and generate the src.rpm.
6. build src.rpm

available: in buildsys-tools package in koji and

<https://git.centos.org/summary/?r=centos-git-common.git>

1. Build RPM with Koji
2. 10 minutes later it appears in -testing repository
3. User can tag it -release repository
4. -release repository signed and ready for consumption.

```
$ cat /etc/mash/cloud6-release.mash
[cloud6-release]
rpm_path = /mnt/kojishare/repos/cloud6-release/%(arch)s/os/Packages
repopath = /mnt/kojishare/repos/cloud6-release/%(arch)s/os/
source_path = source/SRPMS
debuginfo = True
multilib = True
multilib_method = devel
tag = cloud6-release
inherit = False
strict_keys = False
repoviewurl = http://cbs.centos.org/repos/cloud6-release/%(arch)s/os/
repoviewtitle = "CLOUD6-RELEASE"
arches = i386 x86_64
delta = True
```

- User training
- Support for software collection
- Patch koji to support different dist-git layout (fedora + centos). All patches upstream now.
- lookaside cache
- imagefactory support
- Added new builders (with puppet)
- centpkg (A bit more on that later...)
- Investigate signing

- Another Fedora project
- Sigul keeps the private keys used for signing on its server. They are not accessible by the clients.
- All requests by Sigul Clients to Sigul Server are sent over the Sigul Bridge which relays them. This allows signing RPMs from various machines, without having access to actual keys being used.
- You never communicate directly with the Server which should be isolated from the rest of the world and only allow connections from/to the Bridge.

```
$ sigul sign-rpm -o signed.rpm my-gpg-key-name myrpm.rpm
```

```
$ sigul sign-rpm --koji-only --store-in-koji --v3-signature my-gpg-key-name  
myrpm.rpm
```

OR

```
$ sigul sign-rpm -o signed.rpm --v3-signature my-gpg-key-name myrpm.rpm  
$ koji import-sig ./signed.rpm  
$ koji write-signed-rpm --all GPG-KEY-ID
```

A tool to manage the package building process:

- handles dist-git operations,
- local package building,
- abstract koji operations.

```
$ centpkg clone --branch c7 mypkg
```

```
$ cd mypkg
```

```
$ centpkg sources
```

```
$ centpkg srpm
```

- Single namespace
....but no collision on package name
- Policy
in a file / service reload needed.
- Kernel modules
no easy way to recompile against a specific kernel
or having triggers to launch a new build.

easy-rsa : <https://github.com/OpenVPN/easy-rsa>

If you want to roll your own CA, you need to know it exists :) It is part of openvpn project.

git-crypt : <https://www.agwa.name/projects/git-crypt/>

enables transparent encryption and decryption of files in a git repository

QUESTIONS ?

<https://git.centos.org/summary/?r=sig-core/cbs-tools.git>

Thank you !